

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : QUATRO 10.5.40

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Nitrogen, phosphate, potassium fertiliser

1.2.2. Uses advised against

Restrictions on use : No data available

1.3. Details of the supplier of the safety data sheet

AgroQuatro Organik Tarım Sanayi Ticaret A.Ş.
Egemenlik Mh. 6106/15 Sk. No: 13 Bornova / İzmir
TURKEY
T +90 232 273 60 60 - F +90 232 273 60 60
info@agroquatro.com - www.agroquatro.com

1.4. Emergency telephone number

Emergency number : +90 232 273 60 60

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Liquids, Category 2 H272

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS03

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 - Keep away from clothing and other combustible materials.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P370+P378 - In case of fire: Use media other than water to extinguish.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium nitrate	(CAS-No.) 7757-79-1 (EC-No.) 231-818-8	80 – 90	Ox. Liq. 2, H272
MAP; Monoammonium phosphate	(CAS-No.) 7722-76-1 (EC-No.) 231-764-5	5 – 10	Not classified
Urea	(CAS-No.) 57-13-6 (EC-No.) 200-315-5	5 – 10	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : May intensify fire; oxidiser.
- Hazardous decomposition products in case of fire; : Toxic fumes may be released.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

Emergency procedures : Ventilate spillage area. Avoid all unnecessary exposure. No open flames, no sparks, and no smoking. Avoid dust formation.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Avoid all unnecessary exposure. Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Collect in closed containers for disposal. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid all unnecessary exposure. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid dust formation.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed and dry. Keep in a cool, well-ventilated place away from incompatible materials.

Incompatible materials : Combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

MAP; Monoammonium phosphate (7722-76-1)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	34.7 mg/kg bodyweight/day
--------------------------------------	---------------------------

Long-term - systemic effects, inhalation	6.1 mg/m ³
--	-----------------------

DNEL/DMEL (General population)

Long-term - systemic effects, oral	2.1 mg/kg bodyweight/day
------------------------------------	--------------------------

Long-term - systemic effects, inhalation	1.8 mg/m ³
--	-----------------------

Long-term - systemic effects, dermal	20.8 mg/kg bodyweight/day
--------------------------------------	---------------------------

PNEC (Water)

PNEC aqua (freshwater)	1.7 mg/l
------------------------	----------

PNEC aqua (marine water)	0.17 mg/l
--------------------------	-----------

PNEC aqua (intermittent, freshwater)	17 mg/l
--------------------------------------	---------

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

PNEC (STP)

PNEC sewage treatment plant	10 mg/l
-----------------------------	---------

Urea (57-13-6)

DNEL/DMEL (Workers)

Acute - systemic effects, dermal	580 mg/kg bodyweight/day
Acute - systemic effects, inhalation	292 mg/m ³
Long-term - systemic effects, dermal	580 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	292 mg/m ³

DNEL/DMEL (General population)

Acute - systemic effects, dermal	580 mg/kg bodyweight/day
Acute - systemic effects, inhalation	125 mg/m ³
Acute - systemic effects, oral	42 mg/kg bodyweight/day
Long-term - systemic effects, oral	42 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	125 mg/m ³
Long-term - systemic effects, dermal	580 mg/kg bodyweight/day

Potassium nitrate (7757-79-1)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	20.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	36.7 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	12.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	10.9 mg/m ³
Long-term - systemic effects, dermal	12.5 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater)	0.45 mg/l
PNEC aqua (marine water)	0.045 mg/l
PNEC aqua (intermittent, freshwater)	4.5 mg/l

PNEC (STP)

PNEC sewage treatment plant	18 mg/l
-----------------------------	---------

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves. Standard EN 374 - Protective gloves against chemicals. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Safety glasses with side shields. Standard EN 166 - Personal eye-protection.

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Standard EN149 - Filtering Halfmasks to protect against particles

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: White.
Odour	: Characteristics.
Odour threshold	: No data available
pH	: 2.86
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. May intensify fire; oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

MAP; Monoammonium phosphate (7722-76-1)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Guideline: other:Japanese Ministry of Agriculture, Forestry and Fisheries (JMAFF), 12 Nousan, Notification No 8147, November 2000, including the most recent partial revisions.

Urea (57-13-6)

LD50 oral rat	8471 mg/kg
LD50 dermal rat	8200 mg/kg

Potassium nitrate (7757-79-1)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	> 0.527 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Potassium nitrate (7757-79-1)

NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	--

Aspiration hazard	: Not classified
-------------------	------------------

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

MAP; Monoammonium phosphate (7722-76-1)

LC50 fish	> 85.9 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 algae	> 97.1 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Urea (57-13-6)

LC50 fish	6810 mg/l
EC50 daphnia	20 mg/l
EC50 algae	10000 mg/l

Potassium nitrate (7757-79-1)

LC50 fish	1378 mg/l Test organisms (species): Poecilia reticulata
EC50 daphnia	490 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability

Urea (57-13-6)

Persistence and degradability	Readily biodegradable.
Biodegradation	96 % (16 gün)

12.3. Bioaccumulative potential

Urea (57-13-6)

Partition coefficient n-octanol/water (Log Pow)	-1.59
Bioaccumulative potential	Not expected to be bioaccumulative.

12.4. Mobility in soil

Urea (57-13-6)

Ecology - soil	Soluble in water.
----------------	-------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Do not re-use empty containers.
European List of Waste (LoW) code	: According to the European Waste Catalogue, waste codes are not product specific, but application specific. Waste codes should be assigned by the user.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1486	UN 1486	UN 1486	UN 1486	UN 1486
14.2. UN proper shipping name				
POTASSIUM NITRATE	POTASSIUM NITRATE	Potassium nitrate	POTASSIUM NITRATE	POTASSIUM NITRATE
Transport document description				
UN 1486 POTASSIUM NITRATE, 5.1, III, (E)	UN 1486 POTASSIUM NITRATE, 5.1, III	UN 1486 Potassium nitrate, 5.1, III	UN 1486 POTASSIUM NITRATE, 5.1, III	UN 1486 POTASSIUM NITRATE, 5.1, III
14.3. Transport hazard class(es)				
5.1	5.1	5.1	5.1	5.1
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: O2
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP6, AP7

QUATRO 10.5.40


Safety Data Sheet

according to Regulation (EU) 2015/830

Special provisions for carriage - Loading, unloading and handling (ADR) : CV24

Hazard identification number (Kemler No.) : 50

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 1Z

Transport by sea

Special provisions (IMDG) : 964, 967

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK2, BK3

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-Q

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW23

Properties and observations (IMDG) : White crystals or powder. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.

Air transport

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y546

PCA limited quantity max net quantity (IATA) : 10kg

PCA packing instructions (IATA) : 559

PCA max net quantity (IATA) : 25kg

CAO packing instructions (IATA) : 563

CAO max net quantity (IATA) : 100kg

Special provisions (IATA) : A803

ERG code (IATA) : 5L

Inland waterway transport

Classification code (ADN) : O2

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Provisions prior to loading (ADN) : LO04

Provisions for carriage in bulk (ADN) : CO02

Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : CO02 and LO04 apply only when this substance is carried in bulk or without packaging

Rail transport

Classification code (RID) : O2

Limited quantities (RID) : 5kg

Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions (RID) : TP33

Tank codes for RID tanks (RID) : SGAV

Special provisions for RID tanks (RID) : TU3

Transport category (RID) : 3

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP6, AP7

Special provisions for carriage - Loading, unloading and handling (RID) : CW24

Colis express (express parcels) (RID) : CE11

Hazard identification number (RID) : 50

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

QUATRO 10.5.40

Safety Data Sheet

according to Regulation (EU) 2015/830

LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:

Ox. Liq. 2	Oxidising Liquids, Category 2
H272	May intensify fire; oxidiser.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Ox. Liq. 2	H272	
------------	------	--

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable